



Eclipse Manual Fill Bench Top Dispenser

Ideal for home or office

The Eclipse series is the latest series of water dispensers renowned for reliability, longevity and value for money. The classy cabinet will compliment the most stylish office or enhance any home decor.

Features

- Choose between White/Silver or Black/Silver finish
- Cold and Ambient water temperature
- Comes with Awesome bottle set
- 2.5L stainless steel cold tank
- Sleek easy to push taps
- 3-year comprehensive warranty

Performance

Tap 1 outlet water 5°C approx.

Tap 2 outlet water 18°C approx.

Colour

Available in gloss white/silver or black/silver finish.

Cabinet

High gloss cabinet, front and top ABS plastic, bench top model has removable side panels for internal access

Cold Water Cooling Reservoir

Hygienic stainless steel 2.5L chilling tank with contaminant seal. Adjustable thermostat with easy access from the back of the unit.

Refrigeration

Convection cooled condenser. Hermetically sealed compressor with automatic overload protector. Refrigerant type R134A



Faucets

Soft closing and easy to operate.

Drip Tray

Durable ABS plastic, easy clean.

Dimensions


27.2 cm W x 31.3cm D x 44.8cm H

Warranty

The entire range of AWC Eclipse Series water coolers are covered by our 3 Year Comprehensive Warranty. The warranty provides comprehensive parts and labour coverage, for the period of 3 year from the date of original sale..



Bottle assembly instructions



- Unpack all parts from box and wash under tap.
- Remove filter from packaging and flush under running water until the water is clear coming out of the bottom of the filter. To accelerate this process tap the top of the filter with a cupped hand to push the water through
- Take the float and screw onto the bottom of bottle B
- Place bottle B on top of water cooler.
- Place centre plate on top of bottle B
- Unscrew the dome locking nut from the dome
- Insert dome into centre hole of bottle A and screw the dome locking nut onto the dome from underneath until finger tight
- When the filter is fully flushed, ensure that the o-ring at the bottom of the thread is firmly seated into place at the base of the thread
- Insert filter to bottom of bottle A, turning clockwise (left to right) until firm
- Place bottle A and assembled filter on top of centre plate and bottle B
- Using a jug, pour water into bottle A until this bottle is full
- NEVER have both bottle A and B full of water at the same time

Refilling

- When bottle B has only 50mm of water in base of bottle, completely refill bottle A

Monthly cleaning maintenance

Routine maintenance will ensure the very best in filtered water

- Break down into various parts and wash with clean water
- Follow instructions to reassemble

HOW TO CLEAN YOUR WATER DISPENSER AND REPLACE YOUR FILTER

Routine Maintenance will ensure you are drinking great tasting filtered water – Cleaning of your water dispenser & bottle set is recommended every 4 weeks.

Included in this mail out to you are the following items that you will need to successfully clean your water cooler & replace your Aussie Water filter

- One cloth filter made up of two layers, one white & the other black
- One multi layered carbon filter cartridge

Water Dispenser & Bottle Set Cleaning Procedure: A microfibre cloth and a spray bottle of Milton (hospital grade disinfectant used for sterilising baby bottles) and water will be required to successfully sanitise your water dispenser.

- Empty the water from your bottle set via the taps in the front of your dispenser
- Lift your bottle set off your cooler and place in a bucket or upside down at the sink
- Drain the water that is inside the internal reservoir of your water cooler using the taps in the front of your dispenser
- Remove the baffle plate (circular disk) from the internal reservoir of your dispenser. The easiest way to remove the baffle is to place one of your fingers down the centre of the plate, continuously twist and pull up
- Spritz the internal reservoir with Milton solution allow to sit
- Follow the bottle assembly instructions as provided to dismantle your bottle set
- Open the plastic dome located in the top bottle, remove the cloth filter pads & discard
- Unscrew the old filter from your top bottle & discard
- Unscrew float valve and clean thoroughly. Ensure the rubber nipple stays in place
- Wash your bottle set and components with a microfibre cloth & clean water
- Spray your bottle set & components with Milton solution and set aside
- Using a wet microfibre cloth wipe out the internal reservoir of your cooler until clean. Re insert baffle
- Spray a microfibre cloth with Milton solution and wipe over the externals of your water dispenser. It is important that you also clean inside your taps to remove any build up. A narrow bottle brush or toothbrush is perfect for this task

Preparation & installation of your new filter:

- Place your new filter under a running tap to allow water to pass through the different layers of the filter. Remove from flow of water and hit the top of your filter forcing the water through. Repeat this process until the water running from the holes at the bottom of your filter is clear and carbon free. Now screw the new filter firmly (not too tight) back on to the white plate being careful not to cross thread the filter
- Follow the Bottle Assembly Instructions page to reassemble your bottle set

Should you require any assistance with this process simply contact our friendly staff on 1300 365 202 or info@aussiewatercoolers.com.au