



Bench Top Water Purifier

Never buy bottled water again! The Aussie bench top water purifier filtration system is affordable and convenient, just fill up the upper bottle and place it on the bench and everyone in your house can enjoy great tasting filtered water. This Water Purifier is in a smart slim design, built to save space and provide clean water at ease, making it perfect for your home or office.

Features

- Removes Chlorine and Bacteria
- Environmentally Friendly
- Unlimited Free filtered water
- Easy to install
- Easy to dismantle and clean
- Non-Electric
- Sleek Design

Advantages

Although Australian water is generally safe to drink since the treatment plants conforms to applicable quality guidelines, water is delivered to us through aging pipelines it can massively affect the taste and quality of our drinking water. Don't waste your money on expensive bottled water and don't compromise on your health, filter your own water and never run out again.

The Aussie water purifier comes complete with an Awesome 8 stage filtration system that removes impurities like chlorine, bacteria, organic sediment, rust, germs and odours while adding trace minerals - magnesium, potassium, iodine iron, zinc and lithium



Inclusions

- Top Cover/lid
- Plastic dome
- Top Water bowl
- Middle ring
- Multi-Layer Filter
- Bottom Water Bowl
- Faucet
- Base
- Maifan Stone

Dimensions

Box Size: 33 X 33 X 34 cm

Net Weight: 3.5 KG

Gross Weight: 4.0KG


Warranty

The AWC purifiers are covered by 3 Months Warranty from the date of original sale. .



Great coolers. Quality filters. Exceptional service

The Aussie Water Coolers Bench Top Installation and Cleaning Instructions



BEFORE ASSEMBLY:

1. Wash all plastic parts and rinse thoroughly.
2. Place the ceramic filter and mineral stone container in a clean bucket of water to soak overnight.
3. Unwrap the multi layered filter and begin flushing under a running tap. Flush until water runs clear of black carbon dust.

IMPORTANT:

- Never use hot water.
- Never wash the multi-layer filter, ceramic filter or the stones from the mineral stone container with soapy water.
- Always discard the first container of water after initial filtration.

INSTALLATION INSTRUCTIONS:

1. First set the Tap up.
 - a. Remove the large white screw and one washer from the tap.
 - b. Gently insert the tap, with one washer still remaining on the thread, gently through the hole in the lower bottle from the outside in.
 - c. Then from inside the lower bottle place the second washer onto the thread of the tap.
 - d. Then screw the large washer onto the thread until the tap is firmly screwed onto the side of the bottle. **Failure to having this tight may result in water leaking between the bottle and tap.**
2. Place the mineral stone container in the lower bottle.
3. Sit the lower bottle (with tap attached and mineral stone container inside) onto the white base.
4. Place the joining ring onto the top of the lower bottle.
5. Now for the Ceramic Filter.
 - a. Attach the ceramic filter to the upper bottle by unscrewing the “nut” from the ceramic filter.
 - b. Ensure to leave the washer on the “stem end” of the ceramic filter.
 - c. From inside the upper bottle, place the thread of the ceramic filter through the hole and then screw the “nut” back onto the ceramic filter from underneath the upper bottle.
 - d. When completed, the ceramic filter and washer will be inside the upper bottle with the thread screwed on from underneath the upper bottle.
6. Take the multi-layered filter and screw this into the fitting underneath the upper bottle, being careful not to over tighten or cross thread the filter.
7. Gently place the upper bottle, with the ceramic filter inside and the multi-layer filter attached underneath, onto the joining ring.
8. Check all parts for tightness and alignment.
9. Carefully fill with water and put the lid in place.

CLEANING INSTRUCTIONS:

CLEANING THE PLASTIC PARTS:

- ALL FILTERS ARE TO BE REMOVED FROM THE BOTTLE BEFORE WASHING.
- Recommended that bottle is cleaned on a monthly basis.
- Never use anything abrasive to clean any of the plastic parts of the machine. The best cleaning tool is a soft sponge.
- Use warm soapy water to clean the upper and lower bottle, the joining ring, the top cover and the base.

CLEANING THE CERAMIC FILTER:

- The ceramic filter can be cleaned using a scourer or light grade sand paper
- Care must be taken when using the sand paper by ensuring that it is wet and by using gentle circular movements over the surface of the filter.
- This procedure will quickly clean and restore the ceramic filter back to its original efficiency.

CLEANING THE MINERAL STONES:

- To clean the mineral stones, remove them from the original container and place them into a fine gauzed sieve with holes small enough to capture the stones.
- The container can then be washed in warm soapy water and thoroughly rinsed.
- Run the strainer filled with stones under warm water and stir gently using a spoon to potentially remove any accumulated dirt and residue.
- Once completed carefully replace the stones back into the original container being careful not to lose any stones.

CLEANING THE MULTI-LAYER FILTER:

- After the original flushing, the multi-layer filter needs no further attention until it is time to replace this filter.
- For maximum clean and healthy water we recommend replacing this filter every 5 – 6 months.

TROUBLE SHOOTING TIPS:

- Never overfill the upper bottle. If the lower bottle is half full you can completely fill the upper bottle. Once the water level in the lower bottle reaches two thirds full DO NOT add any more water to the upper bottle until the water in the lower bottle has dropped to half full.
- Only fill the bottle up to three (3) days' supply of your water needs at any one time.
- If the unit appears to leak please check:
 - a. That the tap assembly is correctly fitted with a washer on either side of the bottle and firmly tightened.
 - b. Ensure the top Bottle has not been overfilled.






Great coolers. Quality filters. Exceptional service

Preparation of Ceramic Dome pre installation & maintenance

Before using your ceramic dome please rinse, scrub (soap free scorer pad) & soak the ceramic dome filter in water for a minimum of 24 hours. This will assist with flow rate.

Once installed in your system, your unfiltered water will flow through the millions of tiny pores on the casing of the ceramic cartridge, trapping impurities to produce high quality filtered water.

Over time your ceramic dome will change colour which may cause reduced flow. Remove your ceramic dome and scrub with a soap free scorer pad & re install. Replacement of your ceramic dome is recommended once every 12 months.

PO Box 7271 Redland Bay Qld 4165  07 3206 7827  07 3206 9481  0418 746 930  info@aussiewatercoolers.com.au  www.aussiewatercoolers.com.au

ABN 95 163 706 036



Great coolers. Quality filters. Exceptional service

HOW TO CLEAN YOUR WATER PURIFIER AND REPLACE YOUR MULTI LAYERED CARBON FILTER

Routine Maintenance will ensure you are drinking great tasting filtered water – Cleaning of your water purifier is recommended every 4 weeks.

Included in this mail out to you, are the following items that you will need to successfully clean your water purifier & replace your Aussie Water filter

- One multi layered carbon filter cartridge

Water Purifier Cleaning Procedure: A microfibre cloth and a spray bottle of Milton (hospital grade disinfectant used for sterilising baby bottles) and water will be required to successfully sanitise your water purifier

- Empty the water from your purifier via the tap in the front of the system
- Relocate your purifier to the sink in preparation for dismantle & cleaning
- Dismantle your purifier by following the instruction sheet you would have received when the system was initially purchased
- Unscrew your ceramic dome & scrub with non soapy scorer pad to remove any residue/sediment trapped in the pores. Place your ceramic dome somewhere where it won't be damaged & won't be sprayed with cleaning solution until it is ready for re installation
- Unscrew your used multilayered filter and throw in the bin
- Spritz your purifier componentry with Milton solution allow to sit for approximately 15 minutes
- Rinse your purifier components with clean water & wipe with a damp microfibre cloth

Preparation & installation of your new filter:

- Flush your new multi layered filter under a running tap until the water runs clear
- Reassemble your purifier and place into the position of use
- Fill your purifier with as much water as you would use within 2-3 days
- **Do not** fill past indicator line on bottom blue container
- Due to our purifier being a dual filtration system consisting of a ceramic filter and multi layered carbon filter your unfiltered water can take sometime filtering, this is perfectly normal. If the water filtered through quickly its quality would be questionable. We suggest filling your purifier of a night so its filters while you sleep.

Should you require any assistance with this process simply contact our friendly staff on 1300 365 202 or info@aussiewatercoolers.com.au